

## MEDIOINT LIFESCIENCE PVT. LTD.

(A WHO-GMP Certified Company)

**⊘** Cream **⊘** Ointment **⊘** Gel



**⊘** Solution **⊘** Lotion

#### ABOUT MEDIOINT LIFESCIENCE PRIVATE LIMITED

We are pleased to introduce Medioint Lifescience Pvt. Ltd. as a WHO, GMP & GLP certified Third party contract Manufacturing company in Indore (M.P.) India involved exclusively into the manufacturing of Topical preparation (Drug and Cosmetic) products. Our manufacturing unit is set up in Pithampur Distt.-Dhar (Indore), Madhya Pradesh, India.

We at make use of the latest manufacturing technologies and produce the highest quality products. The diligence of the entire team has yielded brilliant results and will help us flourish as a profound name in the Pharma industry. It is one of the few manufacturing plants which blend modern production technology and advanced quality measures into the area of Topical products. We are committed to deliver High Quality Products with international standard packing material with Topical dosage forms (Cream, Gel, Ointment, Solution, Lotion).

We at have a completely self-contained F&D and QC laboratory and have a complement of specially trained research pharmacists and chemists. We also routinely carry out development work in Topical product range. We are fully competent to provide registration dossiers required by you. We are certainly in a position to cater to your outsourced needs of product development especially lab batch development, stability and analytical development. We also provide you with a totally successful formula and process as per your requirement.

We would like to assure you that we at work as one team with a common purpose – to provide best-in-class products and services to our customers. Our philosophy is always based on our belief that customers should be treated in a fair and balanced manner. Thus, we Endeavour to make it a core practice in everything we do – from the way we conduct our business and interact with customers to the products and services we offer.

**Composition**: Betamethasone Dipropionate I.P. 0.025% w/w, Neomycin Sulphate I.P. 0.5% w/w, Miconazole Nitrate I.P. 2% w/w, Cream Base q.s. PACK SIZE: 15g M.R.P.: Rs. 138.00 / Per Tube

**Composition :** Clotrimazole 1% w/w, Cream Base q.s.

PACK SIZE: 15g M.R.P.: Rs. 47 8 / Per Tube

## BECLOMED-NM CREAM

**Broad-Spectrum Antimycotic with Fungicidal Action** 



#### बेक्लोमेड-एनएम क्रीम



**Composition :** Clobetasol Propionate I.P. 0.05% w/w, Chlorocresol I.P. 0.1% w/w, (As preservative) Cream Base q.s. PACK SIZE: 30g M.R.P.: Rs. 149.00 / Per Tube

## CLOBEMED

**Clobemed Cream** is effective in treating allergic skin conditions with inflammation and itching such as eczema and dermatitis. It works by reducing the actions of chemicals in the body that cause inflammation of the skin. In treating eczema and dermatitis, it reduces the redness, rash, pain, or itchiness caused by your skin's reaction to an irritant.

क्लोबेमेड क्रीम एक्जिमा और डमेंटाइटिस जैसी सूजन और खुजली वाली त्वचा की एलर्जी संबंधी स्थितियों के इलाज में प्रभावी है। यह शरीर में त्वचा की सूजन पैदा करने वाले रसायनों की क्रिया को कम करके काम करता है। एक्जिमा और जिल्द की सूजन के इलाज में, यह किसी जलन पैदा करने वाले पदार्थ के प्रति आपकी त्वचा की प्रतिक्रिया के कारण होने वाली लालिमा, दाने, दर्द या खुजली को कम करता है।

#### क्लोबेमेड कीम



#### **CLOMED** CREAM

**Clomed Cream** is an antifungal medicine. It is used to treat fungal skin infections such as ringworm (fungal skin infection that causes a red scaly rash on different parts of the body), athlete's foot (fungal infection of the skin on the feet and between the toes), fungal nappy rash.

क्लोमेड क्रीम एक ऐंटिफंगल क्रीम है। इसका उपयोग फंगल त्वचा संक्रमण जैसे कि दाद (फंगल त्वचा संक्रमण जो शरीर के विभिन्न हिस्सों पर लाल पपड़ीदार दाने का कारण बनता है), एथलीट फुट (पैरों और पैर की उंगलियों के बीच की त्वचा का फंगल संक्रमण), फंगल नैपी रैश और के इलाज के लिए किया जाता है।

#### क्लोमेड क्रीम



**Composition :** Clobetasol Propionate I.P. 0.05% w/w, Neomycin Sulphate I.P. eq to Neomycin 0.5% w/w, Miconazole Nitrate I.P. 2% w/w, Chlorocresol I.P. 0.1% w/w, (As preservative) Cream Base q.s.


PACK SIZE: 15g M.R.P.: Rs. 59.00 / Per Tube

## **CLOBEMED-NM**CREAM

**CLOBEMED-NM CREAM** CLOBETASOL+MICONAZOLE+NEOMYCIN is a combination of three drugs: Clobetasol, Miconazole, and Neomycin. Clobetasol is a corticosteroid that inhibits the release of certain chemical messengers in the body that cause redness, itching, and swelling. Miconazole is an antifungal that works by causing holes in the fungal cell membranes and kills fungi.

वलोबेमेड-एनएम क्रीम क्लोबेटासोल+माइकोनाज़ोल+नियोमाइसिन तीन दवाओं का एक संयोजन है: क्लोबेटासोल, माइक्रोनाज़ोल और नियोमाइसिन। क्लोबेटासोल एक कॉर्टिकोस्टेरॉइड है जो शरीर में कुछ रासायनिक दूतों की रिहाई को रोकता है जो लालिमा, खुजली और सूजन का कारण बनते हैं। माइक्रोनाज़ोल एक एंटीफंगल है जो फंगल कोशिका झिल्ली में छेद करके काम करता है और कवक को मारता है।

#### क्लोबेमेड-एनएम क्रीम



**Composition**: Permethrin 5% w/w In a cream base q.s.

PACK SIZE: 15g

Composition: Hydroquinone USP 2% w/w
Tretinoin USP 0.025% w/w Mometasone Furoate

USP 0.1% w/w, Cream Base q.s.

PACK SIZE: 15g M.R.P.: Rs. 175.00 / Per Tube

#### **MEDIPERM** CREAM

**MEDIPERM** Cream is an antiparasitic medication. It is used to treat scabies, a condition where tiny insects infest and irritate your skin. This medicine works by killing the insects (mites) and their eggs.

मेडीपर्म क्रीम एक एंटीपैरासिटिक दवा है। इसका उपयोग खुजली के इलाज के लिए किया जाता है, एक ऐसी स्थिति जहां छोटे कीड़े आपकी त्वचा पर आक्रमण करते हैं और उसे परेशान करते हैं। यह दवा कीड़ों (घुनों) और उनके अंडों को मारने का काम करती है।



Permethrin Cream 5% w/w 15 g

Mediperm Cream

Composition: Betamethasone Valerate I.P. Eq. to Betamethasone 0.1% w/w, Fusidic Acid I.P. 2% w/w, Chlorocresol I.P. 0.1% w/w(As preservative) Cream base q.s.

PACK SIZE: 15g

#### BETMED-F CREAM

This product is a combination of 2 medications: fusidic acid and betamethasone valerate. It is used to treat certain skin conditions (types of eczema) when bacterial infection is also present.

यह उत्पाद २ दवाओं का एक संयोजन है: फ्यूसिडिक एसिड और बीटामेथासोन वैलेरेट। इसका उपयोग कुछ त्वचा स्थितियों (एक्जिमा के प्रकार) के इलाज के लिए किया जाता है जब जीवाणु संक्रमण भी मौजूद होता है।

#### बेटमेड-एफ क्रीम



#### MEDIFARE FACE CREAM

**MEDIFARE FACE Cream** is a skin-lightening agent that breaches the skin and is helpful to treat different forms of hyperpigmentation. Inhibits melanin production and has potent antioxidant abilities. Helps in making the skin soft and supple and restores its elasticity.

मेडिफेयर फेस क्रीम त्वचा को गोरा करने वाला एजेंट है जो त्वचा में सेंध लगाता है और हाइपरिपग्मेंटेशन के विभिन्न रूपों के इलाज में सहायक है। मेलेनिन उत्पादन को रोकता है और इसमें शक्तिशाली एंटीऑक्सीडेंट क्षमताएं होती हैं। त्वचा को मुलायम और कोमल बनाने में मदद करता है।



#### Composition:

 $Sucral fate I.P.\ 0.07g, Metronidazole\ I.P.\ 0.01\\ Lignocaine\ Hydrochloride\ I.P.\ 0.04g,\ In\ a\ cream\ base\ q.s.$ 

PACK SIZE: 20g

## MEDITRO-ANO CREAM

**Meditro-ANO cream** relieves the pain, swelling, itching, and discomfort associated with the passing of stools in people who suffer from problems.

मेडिट्रो-एएनओं क्रीम समस्याओं से पीड़ित लोगों में मल त्यागने से जुड़े दर्द, सूजन, खुजली और परेशानी से राहत देती है।

#### मेडिट्रो-एएनओ क्रीम



Imidurea I.P. 0.2% w/w, (As preservative)

In a Non-Greasy Base.

PACK SIZE: 20g

**Composition**: Tretinoin USP 0.1% w/w, Preservatives: Sorbic Acid I.P. 0.2% w/w, Butylated Hydroxytoluene I.P. 0.1% w/w, Cream Base q.s.

PACK SIZE: 30g

#### FLUTISIS CREAM

**FLUTISIS** Cream is one of a group of medicines known as corticosteroids, which have a high anti-inflammatory effect when used topically. FLUTISIS Cream is a potent corticosteroid that is applied to the skin to treat a wide variety of inflammatory skin diseases.

फ्लुटिसिस क्रीम कॉर्टिकोस्टेरॉइड्स के नाम से जानी जाने वाली दवाओं के समूह में से एक है, जिसका शीर्ष पर उपयोग करने पर उच्च सूजन-रोधी प्रभाव होता है। फ्लुटिसिस क्रीम एक शक्तिशाली कॉर्टिकोस्टेरॉइड है जिसे विभिन्न प्रकार की सूजन वाली त्वचा रोगों के इलाज के लिए त्वचा पर लगाया जाता है।

#### फ़्लूटिसिस क्रीम



 $\begin{tabular}{ll} \textbf{Composition}: Luliconazole I.P. 1\% w/w, Benzyl Alcohol I.P. 1\% w/w, (as preservative) Cream base q.s. \\ \end{tabular}$ 

PACK SIZE: 20g M.R.P.: Rs. 213.00 / Per Tube

#### **LUMED** CREAM

**Lumed Cream** is used to treat skin infections such as athlete's foot, jock itch, and ringworm. Lumed Cream is an azole antifungal that works by preventing the growth of the fungus.

ल्यूमेड क्रीम का उपयोग एथलीट फुट, जॉक खुजली और दाद जैसे त्वचा संक्रमण के इलाज के लिए किया जाता है। ल्यूमेड क्रीम एक एजोल एंटीफंगल है जो फंगस के विकास को रोककर काम करता है।

ल्यूमेड क्रीम

Luliconazole Cream 1% w/w
Lumed cream

# TRETIMED 0.1%, 0.025% & 0.05% CREAM

**Tretimed-0.1% Cream** should be applied once a day, to the skin where acne lesions appear, using enough to cover the entire affected area lightly. Application may cause a transitory feeling of warmth or slight stinging.

ट्रेटाइम्ड-0.1% क्रीम को दिन में एक बार, त्वचा पर जहां मुँहासे के घाव दिखाई देते हैं, पूरे प्रभावित क्षेत्र को हल्के से कवर करने के लिए पर्याप्त मात्रा में लगाना चाहिए। लगाने से क्षणिक गर्मी या हल्की चुभन महसूस हो सकती है।





Composition:

Metronidazole I.P. Water soluble gel base

1% w/w q.s. PACK SIZE: 30g

#### METROCEA GEL

**METROCEA gel** is used to treat inflammatory lesions (pimples and red bumps) caused by rosacea.

मेट्रोसिया जेल का उपयोग रोसैसिया के कारण होने वाले सूजन वाले घावों (मुँहासे और लाल उभार) के इलाज के लिए किया जाता है।



Metronidazole 1.P. 1% w/w Water soluble gel base q.s. Storage: Store at temperature not sceeding 30°C. Do not freeze. Reap the tube tightly closed after us Keep out of reach of children thin film of Direction for use: Apply a thin film of affected area after washing or as

Metronidazole Gel I.P. 1% w/w

METROCEA GEL



Composition: Clindamycin Phosphate I.P. Eq. to Clindamycin 1% w/w, Tretinoin U.S.P. 0.025% w/w, Aqueous Gel Base q.s.

PACK SIZE: 15g M.R.P.: Rs. 226.00 / Per Tube

#### MEDICLID-TR GEL

**Mediclid-TR Gel** is a versatile antibiotic medicine that works by stopping the growth of bacteria in your body. This medicine is used to treat many different types of infections such as those of lungs (pneumonia), stomach, skin & soft tissues, bones & joints, blood, and heart.

मेडिक्लिड-टी आर जेल एक बहुमुखी एंटीबायोटिक जेल है जो आपके शरीर में बैक्टीरिया के विकास को रोककर काम करती है। इस जेल का उपयोग कई अलग-अलग प्रकार के संक्रमणों जैसे फेफड़ों (निमोनिया), पेट, त्वचा और कोमल ऊतकों, हिड्डयों और जोड़ों, रक्त और हृदय के इलाज के लिए किया जाता है।

#### मेडिक्लिड-टीआर जेल



**Composition**: Lignocaine Hydrochloride I.P. 2% w/w, (Anhydrous) Aqueous Gel Base q.s.

PACK SIZE: 30g M.R.P.: Rs. 39.00/Per Tube

#### **LIGNOMED** GEL

**Lignomed Gel** is commonly used for the diagnosis or treatment of Mouth ulcers, Denture irritation, Rectal problems, Local anesthetic.

लिग्नोमेड जेल का उपयोग आमतौर पर मुंह के अल्सर, दांतों की जलन, मलाशय की समस्याओं, स्थानीय एनेस्थेटिक के निदान या उपचार के लिए किया जाता है।

#### लिग्रोमेड जेल

Lignocaine Hydrochloride Gel I.P. 2% w/w
Lignomed Gel

Composition: Diclofenac Diethaylamine I.P. 1.16% w/w, Eq. to Diclofenac Sodium 1% w/w, Virgin Linseed Oil B.P. 3% w/w, Methyl Salicylate I.P. 10%w/w, Menthol I.P. 5% w/w, Benzyl Alcohol I.P. 1% w/w/, (As Preservative) Cream Base q.s.

PACK SIZE: 30g M.R.P.: Rs. 105.00 / Per Tube

#### KO-PLUS GEL

QUICK RELIEF FOR BACKACHE, JOINT PAIN, MUSCULAR PAIN AND STRAIN.

पीठ दर्द, जोड़ों का दर्द, मांसपेशियों के दर्द और खिंचाव से तूरंत राहत।







**Composition**: Clotrimazole I.P. 2% w/w, **Preservatives**: Benzyl Alcohol I.P. 2% w/w,

Chlorocresol I.P. 0.1% w/w

PACK SIZE: 30g

#### **CLOMED V** GEL

**Clomed V** is used to treat tinea corporis (ringworm; fungal skin infection that causes a red scaly rash on different parts of the body), tinea cruris (jock itch; fungal infection of the skin in the groin or buttocks).

क्लोमेड वी का उपयोग टिनिया कॉर्पोरिस (दाद; फंगल त्वचा संक्रमण जो शरीर के विभिन्न हिस्सों पर लाल पपड़ीदार दाने का कारण बनता है), टिनिया क्रूरिस (जॉक खुजली; कमर या नितंबों में त्वचा का फंगल संक्रमण) के इलाज के लिए किया जाता है।

#### क्लोमेड वी जेल



PACK SIZE: 30a

**Composition :** Diclofenac Diethylamine I.P. 1.16% w/w, Eq. to Diclofenac Sodium 1% w/w

PACK SIZE: 30g

#### D-MED PLUSGEL

**D-MED PLUS Gel** is used for short-term relief of pain, inflammation, and swelling in conditions that affect joints and muscles. It works by blocking chemical messengers in the brain that tell us we have pain. It help relieve pain in conditions like rheumatoid arthritis and osteoarthritis.

**डी-मेड प्लस जेल** का उपयोग जोड़ों और मांसपेशियों को प्रभावित करने वाली स्थितियों में दर्द, जलन और सूजन से अल्पकालिक राहत के लिए किया जाता है। यह मस्तिष्क में रासायनिक दूतों को अवरुद्ध करके काम करता है जो हमें बताते हैं कि हमें दर्द है। यह रुमेटीइड गठिया और ऑस्टियोआर्थराइटिस जैसी स्थितियों में दर्द से राहत दिलाने में मदद करता है।

#### डी-मेड प्लस जेल



**Composition :** Clindamycin Phosphate I.P. 1% w/w, Eq. to Clindamycin 0.1 w/w, Adapalene B.P. 0.1% w/w, In a Gel Base q.s.

PACK SIZE: 20g M.R.P.: Rs. 228.00 / Per Tube

# MEDICLID-AD

**Mediclid-AD Gel** is used to treat acne, which appears as spots or pimples on your face, chest, or back. This medicine works by attacking the bacteria that cause these pimples.

मेडिक्लिड-ए डी जेल का उपयोग मुँहासे के इलाज के लिए किया जाता है, जो आपके चेहरे, छाती या पीठ पर धब्बे या फुंसी के रूप में दिखाई देता है। यह दवा उन बैक्टीरिया पर हमला करके काम करती है जो इन पिंपल्स का कारण बनते हैं।





#### D-MED GEL

**D-MED Gel** is used to relieve pain and reduce swelling in your joints and muscles. It can be used to treat various injuries such as sprains, strains and bruises. It can also be used for tendonitis (such as tennis elbow) and osteoarthritis.

**डी-मेड जेल** का उपयोग आपके जोड़ों और मांसपेशियों में दर्द और सूजन को कम करने के लिए किया जाता है। इसका उपयोग विभिन्न चोटों जैसे मोच, खिंचाव और चोट के इलाज के लिए किया जा सकता है। इसका उपयोग टेंडोनाइटिस (जैसे टेनिस एल्बो) और ऑस्टियोआर्थराइटिस के लिए भी किया जा सकता है।





**Composition**: Mupirocin I.P. 2% w/w, Water Soluble Ointment base q.s.

PACK SIZE: 5g

#### MUPRIMED OINTMENT

**MUPRIMED Ointment** is an antibiotic that works by stopping the growth of infection-causing bacteria on your skin. It prevents the synthesis of essential proteins necessary for the survival of bacteria.

मप्राइम्ड ऑइंटमेंट एक एंटीबायोटिक है जो आपकी त्वचा पर संक्रमण पैदा करने वाले बैक्टीरिया के विकास को रोककर काम करता है। यह बैक्टीरिया के अस्तित्व के लिए आवश्यक प्रोटीन के संश्लेषण को रोकता है।

मुप्रीमेड ऑइंटमेंट



Composition: Povidone-lodine I.P. 5% w/w (Available lodine 0.5% w/w) Water soluble ointment base q.s

#### POVISEF Ointment



पोविसेफ ऑइंटमेंट

## **POVISEF** solution



पोविसेफ सलूशन


Composition: Silver sulfadiazine I.P. 1%, Chlorocresol I.P. 0.1% (As preservative) Cream base q.s.

#### **BURNOMED** CREAM

**Burnomed Cream** is used to prevent and treat wound infections in patients with second- and third-degree burns. Patients with severe burns or burns over a large area of the body must be treated in a hospital. Burnomed Cream is an antibiotic.

बर्नोमेड क्रीम का उपयोग दूसरी और तीसरी डिग्री के जले हुए मरीजों में घाव के संक्रमण को रोकने और इलाज करने के लिए किया जाता है। गंभीर रूप से जलने या शरीर के बड़े हिस्से में जलन वाले मरीजों का इलाज अस्पताल में किया जाना चाहिए। बर्नोमेड क्रीम एक एंटीबायोटिक है।

## बर्नोमेड क्रीम



#### **Products - Cream**

| Sr.<br>No. | Name of Product                 | Composition                |           |
|------------|---------------------------------|----------------------------|-----------|
|            | Clotrimazole Cream IP           | Each Composition contains: |           |
| 1.         | 1% w/w                          | Clotrimazole IP            | 1% w/w    |
|            | 170 W/W                         | Cream base                 | q.s.      |
|            |                                 | Each Composition contains: |           |
|            | Clobetasol Propionate           | Clobetasol Propionate IP   | 0.05% w/w |
| 2.         | Cream IP 0.05% w/w              | Chlorocresol IP            | 0.1% w/w  |
|            | Cream IP 0.05% W/W              | (as preservative)          |           |
|            |                                 | Cream base                 | q.s.      |
|            |                                 | Each Composition contains: |           |
|            | Betamethasone                   | Betamethasone valerate IP  |           |
| 2          | Valerate Cream IP 0.1%          | eq. to Betamethasone       | 0.1% w/w  |
| 3.         |                                 | Chlorocresol IP            | 0.1% w/w  |
|            | w/w                             | (as preservative)          |           |
|            |                                 | Cream base                 | q.s.      |
|            | Ketoconazole Cream BP<br>2% w/w | Each Composition contains: |           |
| 4.         |                                 | Ketoconazole IP            | 2 % w/w   |
|            |                                 | Cream base                 | q. s.     |
|            |                                 | Each Composition contains: |           |
|            | 1 0 10                          | Luliconazole IP            | 1 % w/w   |
| 5.         | Luliconazole Cream 1%           | Benzyl Alcohol IP          | 1% w/w    |
|            | w/w                             | (as preservative)          |           |
|            |                                 | Cream base                 | q. s.     |
|            |                                 | Each Composition contains: |           |
|            |                                 | Mometasone Furoate IP      | 0.1% w/w  |
| 6.         | Mometasone Cream IP             | Methyl Paraben IP          | 0.2% w/w  |
| ь.         | 0.1 % w/w                       | Propyl Paraben IP          | 0.02% w/w |
|            |                                 | (as preservative)          |           |
|            |                                 | In a Cream base            | q.s.      |
|            | 4 1 : C IDEO                    | Each Composition contains: |           |
| 7.         | Acyclovir Cream IP 5.0          | Acyclovir IP               | 5 % w/w   |
|            | % w/w                           | Emollient Cream Base       | q.s.      |
|            |                                 | Each Composition contains: |           |
|            | Miconazole Cream IP             | Miconazole IP              | 2 % w/w   |
| 8.         | THEODIADOTE GLEANITH            | Chlorocresol IP            | 0.1% w/w  |
|            | 2.0 %                           | (as preservative)          |           |
|            |                                 | Cream base                 | q. s.     |

| Sr.<br>No. | Name of Product   | Composition   |  |
|------------|---|---|--|
| 16.        | Beclomethasone<br>Dipropionate Cream  | Each Composition Contains: B Dipropionate IP 0 Preservative: Chlorocresol IP Cream base with Propylene Glycol IP  | eclomethasone<br>0.025% w/w<br>0.1% w/w<br>q.s.          |
| 17.        | Terbinafine<br>Hydrochloride Cream IP<br>1% w/w   | Each Composition Contains:<br>Terbinafine Hydrochloride IP<br>Chlorocresol IP<br>(as preservatives)<br>Cream base   | 1% w/w<br>0.1% w/w<br>q.s.                               |
| 18.        | Mometasone Furoate &<br>Fusidic Acid Cream  | Each Composition Contains:<br>Mometasone Furoate IP<br>Fusidic Acid IP<br>Cream Base  | 0.1% w/w<br>2% w/w<br>q.s.                               |
| 19.        | Beclomethasone<br>Dipropionate and<br>Clotrimazole Cream                                | Each Composition Contains:<br>Beclomethasone Dipropionate<br>Clotrimazole IP<br>Preservative:<br>Chlorocresol IP<br>Cream base                                  | e IP 0.025%w/w<br>1% w/w<br>0.1% w/w<br>q.s.             |
| 20.        | Clobetasol Propionate,<br>Gentamicin and<br>Miconazole Nitrate<br>Cream                 | Each Composition Contains:<br>Clobetasol Propionate IP<br>Gentamicin Sulphate IP<br>eq. to Gentamicin<br>Miconazole Nitrate IP<br>Chlorocresol IP<br>Cream Base | 0.05% w/w<br>0.1% w/w<br>2% w/w<br>0.1% w/w<br>q.s.      |
| 21.        | Beclomethasone<br>Dipropionate,<br>Neomycin Sulphate and<br>Miconazole Nitrate<br>Cream | Each Composition Contains: Beclomethasone Dipropionate Neomycin Sulphate IP Miconazole Nitrate IP Chlorocresol IP (as preservative) Cream Base                  | e IP 0.025%w/w<br>0.5% w/w<br>2% w/w<br>0.1% w/w<br>q.s. |

| Sr.<br>No. | Name of Product                         | Composition                 | 1           |
|------------|---|-----------------------------|-------------|
|            | Permethrin Cream 5%                     | Each Composition contains:  |             |
| 9.         | w/w                                     | Permethrin                  | 5% w/v      |
|            | w/w                                     | In a Cream base             | q. s        |
|            | Clotrimazole Cream IP                   | Each Composition contains:  |             |
| 10.        | 2% w/w                                  | Clotrimazole IP             | 2% w/w      |
|            | 2% W/W                                  | Cream base                  | q.s         |
|            |   | Each Composition Contains:  |             |
|            | Silver Sulfadiazine                     | Silver Sulphadiazine IP     | 1% w/w      |
| 11.        | Cream IP 1% w/w                         | Chlorocresol IP             | 0.1% w/w    |
|            | Cream ir 1% w/w                         | (as Preservative)           |             |
|            |   | Cream base                  | q. s.       |
|            | Hardmanninana                           | Each Composition Contains:  |             |
|            | Hydroquinone,                           | Hydroquinone USP            | 2.0 % w/w   |
| 12.        | Tretinoin and<br>Mometasone furoate     | Tretinoin USP               | 0.025 % w/w |
|            | 11011101110111011101110                 | Mometasone furoate USP      | 0.1 % w/w   |
|            | Cream                                   | Cream base                  | q.s.        |
|            |   | Each Composition Contains:  |             |
|            |   | Betamethasone Valerate IP   |             |
|            |   | Betamethasone               | 0.1% w/w    |
| 13.        | Betamethasone and<br>Fusidic acid Cream | Fusidic acid                | 2% w/w      |
|            | Fusidic acid Cream                      | Chlorocresol IP             | 0.1% w/w    |
|            |   | (as preservative)           |             |
|            |   | Cream base                  | q.s.        |
|            |   | Each Composition Contains:  |             |
|            |   | Clobetasol Propionate BP    | 0.05% w/v   |
|            | Clobetasol Propionate                   | Gentamicin                  |             |
| 14.        | Gentamicin, and                         | (As Gentamicin Sulphate IP) | 0.1% w/w    |
| 14.        | Miconazole Nitrate                      | Miconazole Nitrate IP       | 2.0% w/w    |
|            | Cream                                   | Chlorocresol IP             | 0.1% w/w    |
|            |   | (as preservative)           |             |
|            |   | Cream base                  | q.s         |
|            |   | Each Composition Contains:  |             |
|            |   | Clobetasol Propionate BP    | 0.05% w/w   |
|            | Clobetasol Propionate,                  | Gentamicin Sulphate IP      |             |
| 15.        | Gentamicin Cream                        | eq. to Gentamicin           | 0.1% w/w    |
|            | Gentamicii Greani                       | Chlorocresol IP             | 0.1% w/w    |
|            |   | (as preservative)           |             |
|            |   | Cream base                  | q.s.        |

| Sr.<br>No. | Name of Product   | Composition  |   |
|------------|---|--|---|
| 22.        | Clobetasol Propionate,<br>Miconazole Nitrate &<br>Neomycin Cream                | Each Composition Contains:<br>Clobetasol Propionate IP<br>Neomycin Sulphate IP<br>Eq. to Neomycin<br>Miconazole Nitrate IP<br>Chlorocresol IP<br>(as preservative)<br>Cream Base | 0.05% w/w<br>0.5% w/w<br>2% w/w<br>0.1% w/w   |
| 23.        | Tretinoin Cream USP<br>0.025% w/w   | Each Composition Contains:<br>Tretinoin USP<br>Preservatives<br>Sorbic acid IP<br>Butylated Hydroxytoluene IP<br>Cream base  | 0.025% w/w<br>0.2% w/w<br>0.1% w/w<br>q.s.    |
| 24.        | Tretinoin Cream USP<br>0.05% w/w  | Each Composition Contains:<br>Tretinoin USP<br>Preservatives<br>Sorbic Acid IP<br>Butylated Hydroxytoluene IP<br>Cream base  | 0.05% w/w<br>0.2% w/w<br>0.1% w/w<br>q.s.     |
| 25.        | Clobetasol Propionate,<br>Neomycin Sulphate and<br>Miconazole Nitrate<br>cream  | Each Composition Contains:<br>Clobetasol Propionate IP<br>Neomycin IP<br>Miconazole Nitrate IP<br>Chlorocresol IP<br>(as preservative)<br>Cream base                             | 0.05% w/w<br>0.5% w/w<br>2.0% w/w<br>0.1% w/w |
| 26.        | Beclomethasone<br>Dipropionate,<br>Clotrimazole, Neomycin<br>Sulphate and Cream | Each Composition Contains: Beclomethasone Dipropionate IP Clotrimazole IP Neomycin Sulphate IP Chlorocresol IP (as preservative) Cream Base                                      | 0.025% w/w<br>1% w/w<br>0.5% w/w<br>0.1% w/w  |

#### **Products - Cream**

| Sr.<br>No. | Name of Product   | Composition  |  |
|------------|---|--|--|
| 27.        | Fluocinolone acetonide<br>Cream IP 0.025%                   | Each Composition Contains:<br>Fluocinolone acetonide IP<br>Preservative:<br>Methyl paraben IP<br>Propyl paraben IP<br>Non- Greasy Base<br>(Appropriate Overages added) | 0.025% w/w<br>0.15% w/w<br>0.05% w/w<br>q.s. |
| 28.        | Bifonazole Cream IP 1%<br>w/w                               | Each Composition Contains:<br>Bifonazole IP<br>Preservative<br>Benzyl Alcohol<br>In a cream base   | 1% w/w<br>2% w/w<br>q.s.                     |
| 29.        | Desonide Cream USP<br>0.05% w/w                             | Each Composition Contains: Desonide Preservative: Potassium Sorbate & Sorbic Ac q. to Sorbic Acid 0.175%w/ Cream Base  |  |
| 30.        | Liquid Paraffin 6% +<br>White Soft paraffin<br>15%w/w Cream | Each Composition Contains:<br>Light Paraffin IP<br>White Soft Paraffin IP<br>Preservative:<br>Benzyl Alcohol IP<br>In a Cream base                                     | 6% w/w<br>15% w/w<br>0.5% w/w<br>q.s.        |
| 31.        | Fluticasone Propionate<br>Cream IP 0.05% w/w                | Each Composition Contains:<br>Fluticasone Propionate IP<br>Imidurea IP<br>(As preservative)<br>In a Non-Greasy Base  | 0.05% w/w<br>0.2% w/w<br>q.s.                |
| 32.        | Amorolfine<br>Hydrochloride Cream<br>0.25% w/w              | Each Composition Contains:<br>Amorolfine Hydrochloride IP<br>Eq. Amorolfine<br>Preservative:<br>Phenoxyethanol IP<br>Cream Base  | 0.25% w/w<br>1% w/w<br>q.s.                  |

| Sr.<br>No. | Name of Product   | Composition   |   |
|------------|---|---|---|
| 33.        | Beclomethasone<br>Dipropionate and<br>Neomycin Cream                                | Each Composition Contains: Beclomethasone Dipropionate I Neomycin Sulphate eq. to Neomycin IP Preservative Chlorocresol IP Cream Base                           | P 0.025% w/w<br>0.5% w/w<br>0.1% w/w<br>q.s.      |
| 34.        | Clobetasol Propionate,<br>Gentamicin, Miconazole<br>Nitrate & Clotrimazole<br>Cream | Each Composition Contains:<br>Clobetasol Propionate IP<br>Gentamicin Sulphate IP<br>eq. to Gentamicin<br>Miconazole Nitrate IP<br>Clotrimazole IP<br>Cream Base | 0.05% w/w<br>0.1% w/w<br>2% w/w<br>1% w/w<br>q.s. |
| 35.        | Nadifloxacin Cream IP<br>1% w/w   | Each Composition Contains:<br>Nadifloxacin IP<br>Cream Base   | 1% w/w<br>q.s.                                    |
| 36.        | Sucralfate,<br>Metronidazole and<br>Lignocaine<br>Hydrochloride Cream               | Each gram of topical cream Con<br>Sucralfate IP<br>Metronidazole IP<br>Lignocaine Hydrochloride IP<br>In a Cream Base   | 0.07 g<br>0.01 g<br>0.04 g<br>q. s.               |
| 37.        | Halobetasol Propionate<br>Cream 0.05% w/w   | Each Composition Contains:<br>Halobetasol Propionate USP<br>Preservative:<br>Methyl Paraben IP<br>Propyl Paraben IP<br>Cream base                               | 0.05% w/w<br>0.2%w/w<br>0.02% w/w<br>q.s.         |
| 38.        | Framycetin,<br>Dexamethasone and<br>Clotrimazole Cream                              | Each Composition Contains:<br>Framycetin Sulphate IP<br>Dexamethasone IP<br>Clotrimazole IP<br>Cream Base   | 1 % w/w<br>0.1 % w/w<br>1 % w/w<br>q. s           |
| 39.        | Silver Sulphadiazine,<br>Lignocaine Hcl and<br>Chlorhexidine<br>Gluconate Cream     | Each Composition Contains:<br>Silver Sulphadiazine IP<br>Lignocaine Hcl IP<br>Chlorhexidine Gluconate Solutio<br>Eq. to Chlorhexidine Gluconate<br>Cream base   |   |

#### **Products - Gel**

| Sr.<br>No. | Name of Product  | Composition  |  |
|------------|--|--|--|
| 1.         | Diclofenac Gel IP  | Each Composition: Contains:<br>Diclofenac diethylamine IP<br>eq. to Diclofenac Sodium<br>Gel Base  | 1.16% w/w<br>1% w/w<br>q.s.                                  |
| 2.         | Lignocaine<br>Hydrochloride Gel IP<br>2% w/w                               | Each Composition: Contains:<br>Lignocaine Hydrochloride IP<br>(Anhydrous)<br>Aqueous Gel Base  | 2% w/w<br>q.s.   |
| 3.         | Fluconazole Gel 0.5 %  | Each Composition: Contains:<br>Fluconazole IP<br>Benzyl Alcohol IP<br>(as preservative)<br>Gel base  | 0.5 % w/w<br>1% w/w<br>q. s.                                 |
| 4.         | Benzoyl Peroxide Gel IP<br>2.5% w/w  | Each Composition: Contains:<br>Hydrous Benzoyl Peroxide IP<br>eq. to Anhydrous<br>Benzoyl Peroxide<br>In a Aqueous Gel Base  | 2.5% w/w<br>q.s.   |
| 5.         | Diclofenac, Virgin<br>Linseed Oil, Methyl<br>Salicylate and Menthol<br>Gel | Each Composition: Contains: Diclofenac Diethylamine IP w/w Eq. to Diclofenac Sodium Virgin Linseed Oil BP Methyl Salicylate IP Menthol IP Benzyl Alcohol IP (as preservative) Gel Base | 1.16%<br>1% w/ w<br>3 % w/ w<br>10% w/w<br>5% w/w<br>1% w/ w |
| 6.         | Clindamycin and<br>Tretinoin Gel   | Each Composition Contains:<br>Clindamycin Phosphate IP<br>Eq. to Clindamycin<br>Tretinoin USP 0<br>Aqueous gel base  | 1.0% w/w<br>0.025% w/w<br>q.s.                               |

| Sr.<br>No. | Name of Product   | Composition   |   |
|------------|---|---|---|
| 7.         | Clindamycin and<br>Adapalene Gel  | Each Composition Contains:<br>Clindamycin Phosphate IP<br>Eq. to Clindamycin<br>Adapalene BP<br>In a Gel Base   | 1% w/w<br>0.1% w/w<br>q.s.  |
| 8.         | Clindamycin Gel USP   | Each Composition Contains:<br>Clindamycin Phosphate IP<br>eq. to Clindamycin<br>Sodium Methyl Paraben IP<br>Sodium Propyl paraben IP<br>(As Preservatives)<br>Gel Base                            | 1% w/w<br>0.1% w/w<br>0.05% w/w<br>q.s.   |
| 9.         | Diclofenac, Virgin<br>Linseed Oil, Methyl<br>Salicylate, Menthol and<br>Capsaicin Gel | Each Composition Contains: Diclofenac Diethylamine IP eq. to Diclofenac sodium - Virgin Linseed Oil BP Methyl Salicylate IP Menthol IP Capsaicin USP Benzyl Alcohol IP (as preservative) Gel base | 1.16% w/w<br>1% w/w<br>3.0% w/w<br>10.0% w/w<br>5.0% w/w<br>0.025 w/w<br>1.0% w/w |
| 10.        | Diclofenac, Virgin<br>Linseed Oil, Methyl<br>Salicylate and Menthol<br>Gel            | Each Composition Contains: Diclofenac Diethylamine BP eq. to Diclofenac sodium - Virgin Linseed Oil BP Methyl Salicylate IP Menthol IP Benzyl Alcohol IP (as preservative) Gel base               | 1.16% w/w<br>1% w/w<br>3.0% w/w<br>10.0% w/w<br>0.5% w/w<br>1.0% w/w              |
| 11.        | Piroxicam Gel BP<br>0.5% w/w  | Each Composition Contains:<br>Piroxicam IP  | 0.5% w/w  |
| 12.        | Metronidazole Gel 1%<br>w/w   | Each Composition Contains:<br>Metronidazole IP<br>Water Soluble gel base  | 1% w/w<br>q. s.   |

#### **Products - Ointment**

| Sr.<br>No. | Name of Product  | Composition  |
|------------|--|--|
| 1.         | Povidone Iodine<br>Ointment USP 5% w/w                       | Each Composition Contains: Povidone Iodine IP 5% w/w (0.5%w/w Available Iodine) Water Soluble Ointment Base q. s.                                |
| 2.         | Povidone Iodine<br>Ointment USP 10%<br>w/w                   | Each Composition Contains: Povidone Iodine IP 10% w/w (1.0% w/w Available Iodine) Water Soluble Ointment Base q. s.                              |
| 3.         | Mupirocin Ointment IP<br>2% w/w                              | Each Composition Contains:  Mupirocin IP 2% w/w Water Soluble Ointment Base q.s.   |
| 4.         | Tacrolimus Ointment 0.1% w/w                                 | Each Composition Contains: Tacrolimus USP 0.1% w/w Ointment Base q.s.  |
| 5.         | Povidone Iodine,<br>Sucralfate,<br>Metronidazole<br>Ointment | Each Composition Contains: Povidone Iodine IP 5% w/w (Available Iodine 0.5%w/w) Metronidazole IP 1% w/w Sucralfate IP 7% w/w Ointment Base q. s. |
| 6.         | Metronidazole and<br>Povidone Iodine<br>Ointment             | Each Composition Contains:  Metronidazole IP 1% w/w Povidone Iodine I.P. 5% w/w (Available Iodine 0.5 % w/w)  Water Soluble Ointment Base q. s.  |
| 7.         | Metronidazole and<br>Povidone Iodine<br>Ointment             | Each Composition Contains:  Metronidazole IP 1% w/w Povidone Iodine I.P. 10% w/w (Available Iodine 1.0% w/w) Water Soluble Ointment Base q. s.   |
| 8.         | Whitefield's Ointment<br>IP                                  | Each Composition Contains:  Benzoic Acid IP 6 %w/w Salicylic Acid IP 3% w/w Ointment Base q.s.   |

#### **Products - Solution**

| Sr.<br>No. | Name of Product                                     | Composition  |
|------------|---|--|
| 1.         | Povidone Iodine<br>Solution IP 10% w/v              | Each Composition Contains: Povidone Iodine IP 10% w/v  |
| 2.         | Povidone Iodine<br>Solution IP 5% w/v               | Each Composition Contains: Povidone Iodine IP 5% w/v   |
| 3.         | Povidone Iodine<br>Solution IP 7.5% w/v             | Each Composition Contains: Povidone Iodine IP 7.5% w/v   |
| 4.         | Povidone Iodine<br>Topical Solution USP<br>10% w/v  | Each Composition contains:  Povidone Iodine USP 10% w/v (Available Iodine 1% w/v)  Purified water q. s.                              |
| 5.         | Povidone Iodine<br>Topical Solution USP<br>5% w/v   | Each Composition contains: Povidone Iodine USP 5% w/v (Available Iodine 0.5% w/v) Purified water q. s.                               |
| 6.         | Povidone Iodine<br>Topical Solution USP<br>7.5% w/v | Each Composition contains: Povidone Iodine USP 7.5 % w/v (Available Iodine 0.75% w/v) Purified water q. s.                           |
| 7.         | Hydrogen Peroxide<br>Solution IP 3% w/v             | Each Composition contains: Hydrogen Peroxide Solution IP 3% w/v Purified Water q. s.   |
| 8.         | Chlorhexidine Gluconate<br>Solution IP              | Composition: Chlorhexidine Gluconate Solution IP Eq. to Chlorhexidine Gluconate 0.2% w/v As a Pleasently Flavoured Aqueous Base q.s. |
| 9.         | Povidone Iodine<br>Gargle 2% w/v                    | Composition: Each ml Contains: Povidone iodine IP 2% w/v (Available iodine 0.2%w/v)  |

#### **Product - Lotion**

| Sr.<br>No. | Name of Product     | Composition                   |        |
|------------|---------------------|-------------------------------|--------|
|            | Gamma Benzene       | Each Composition Contains:    |        |
| 1.         | Hexachloride Lotion | Gamma Benzene Hexachloride IP | 1% w/v |
|            | 1% w/v              | Lotion Base                   | q.s.   |





#### MEDIOINT LIFESCIENCE PVT. LTD.

(A WHO-GMP Certified Company)

## **OUR PRODUCTS**

- ACNE AND PIMPLE CARE
   ANTIFUNGAL
   ANTIMICROBIAL
  - ANTI-SCAR
     BEAUTY CARE
     ANALGESIC (NSAIDS)
- MUSCLE RELAXANT
   ORAL CARE
   LOCAL ANESTHETIC

- +91-96734 45000 | +91-9617628478
- mediointlifescince@gmail.com | info@mediointlifescience.com | mediointlifescience.com
- Plot No. 260 -A, Industrial Growth Center, Sector-3 Pithampur, Dist. Dhar-454774, M.P INDIA.